


fissaggi per microcilindri ISO 6432

fixing elements for minicylinders ISO 6432




PIEDINO



Ø	A	B	C	D	E	F	G	H	J	L	M	N	P
10	5	3	11	16	10	5	68	30	25	32	73	24	4.5
12	6	4	14	20	12.5	8	76	28	32	42	84	32	5.5
16	6	4	14	20	12.5	8	81	33	32	42	89	32	5.5
20	8	5	17	25	20	7	101	43	40	54	108	36	6.6
25	8	5	17	25	20	11	102	44	40	54	113	40	6.6

FLANGIA




Ø	A	B	C	D	E	F	G
10	3	65	13	22	Ø4.5	30	40
12	4	74	18	30	Ø5.5	40	52
16	4	79	18	30	Ø5.5	40	52
20	5	96	19	40	Ø6.6	50	66
25	5	101	23	40	Ø6.6	50	66

fissaggi per microcilindri ISO 6432

fixing elements for minicylinders ISO 6432




CONTROCERNIERA CON PERNO




Ø	A	B	C	D	E	F	G	H	J	L	M	N	P
10	4.5	2.5	62.5	12.25	24	12.5	8.1	13.1	17	22	5	4.75	ø4
12	5.5	3	73	13	27	15	12.1	18.1	23	25	7	5	ø6
16	5.5	3	80	13	27	15	12.1	18.1	23	25	7	5	ø6
20	6.6	4	91	16	30	20	16.1	24.1	30	32	10	6	ø8
25	6.6	4	100	16	30	20	16.1	24.1	30	32	10	6	ø8

DADO PER TESTATA



sigla part number	per alesaggio for bore	A	CH	S
GPM010	10	M12x1.25	19	6
GPM12-16	12-16	M16x1.5	22	8
GPM20-25	20-25	M22x1.5	27	8

PIEDINO




sigla* part number*	per alesaggio for bore	A	B	C	D	E	F	G	H	J	L
PDMC08-10	8-10	35	26	16	3	16	11	12	25	4.5	10
PDMC12-16	12-16	42	32.5	20	4	20	14	16	32	5.5	12.5
PDMC20-25	20-25	54	45	25	5	25	17	22	40	6.6	20

* La sigla si riferisce a un solo piedino e non alla coppia


* The part number is referred to only one element and not to the couple

FLANGIA



sigla part number	per alesaggio for bore	A	B	C	D	E	F	G	H
FLMC08-10	8-10	40	22	3	30	12	11	5	4.5
FLMC12-16	12-16	52	30	4	40	16	15	6	5.5
FLMC20-25	20-25	66	40	5	50	22	20	8	6.6

CONTROCERNIERA CON PERNO



sigla part number	per alesaggio for bore	A	B	C	D	E	F	G	H	J	L	M
CCMC08-10	8-10	22	13.1	29	2.5	12.5	24	4.5	4	8.1	5	5
CCMC12-16	12-16	25	18.1	34	3	15	27	5.5	6	12.1	7	7
CCMC20-25	20-25	32	24.1	40	4	20	30	6.6	8	16.1	10	10